


Ni-2

The comfort of the piglets
is your tranquility.



The climate coverings of Rotecna create an ideal microclimate for piglets in farrowing places.

Ni-2 corner



The Ni-2 corner

Provides for higher temperature creating microclimate for piglets while the temperature in the room is comfortable for the sow.

Advantages

Could reduce the energy cost up to 20-40% in the farrowing buildings.

Could increase by 0,2-0,5 alive weaned piglets per sow and year, reducing the mortality range after the delivery.

Better results in the weight of the weaned piglets.

Creates optimal ambient conditions for piglets, protecting the air draughts.

Allows reducing the room temperature, providing for the comfort of the sows.

corner complements



18800003
SUPPORT FOR NI-2 CORNER



18800015
CLOSING FENCE KIT with gate

Provides for maintenance of the optimal temperature inside the Ni-2. The piglets have access to the outdoor space in the farrowing place thanks to the sliding gate.

info



Characteristics

- Can be adapted to the width: from 80 to 60 cm.
- The design allows installation of infrared lamp or LED (as an option).
- The special design facilitates the cleaning:

The fix part is one piece without any joint points. The inclination angle provides for easy access and better cleaning.

The cover is designed with longitudinal reinforcement bridges that facilitates the evacuation of the dirt with water and helps to avoid water splashing during jet washing.


corner details



corner graphics



The design of the inclined fix part makes the cleaning easier.



With longitudinal reinforcement bridges making the cleaning and disinfection easier and avoiding water splashing.



Ni-2 mobile




The NI-2 mobile

is removable and easy to carry if switching from place to place.

Options of regulation of the height to maximize the microclimate effect, allowing the use of bulbs with less *power and lower consumption*.

mobile complements



19100001
SUPPORT NI-2 MOBILE

Advantages

Very easy to carry over and to use by turns in the farrowing places where necessary due to the age of the piglets.

Could reduce the energy cost up to 20-40% in the farrowing buildings.


Could increase by 0,2-0,5 alive weaned piglets per sow and year, reducing the mortality range after the delivery.

Better results in the weight of the weaned piglets.

Creates optimal ambient conditions for piglets, protecting from the air draughts.



Security clip to fasten the handles.



satile

Characteristics

- Easy cleaning, can be lifted up, easy access to the bottom part.
- The upper lid is provided with an optional lid for installation of infrared lamp with low energy consumption to draw the piglets' attention.
- Different positions of the height to optimize the microclimate conditions for piglets.
- Easy installation. Can be adapted to any farrowing place.
- Special design makes cleaning and disinfection very easy.
- Significant energy saving.

mobile handles to carry it out



Easy to set up.

mobile details



Wing with slot for the lamp.




Blind wing.

Complements

Lampholder



Fits perfectly to the NI-2. And with the possibility of using bulbs with lower consumption.





Technical data

Dimensions

corner




mobile




Lid with led light, 5w

The LED lamp is used to attract new born piglets during the first days after the delivery. Can be adapted to the Ni-2 perfectly, long lasting.




Farrowing place design



corner

View of the location of Ni-2 corner.



mobile

Views of the location of Ni-2 mobile.

Packaging

	NI-2 CORNER	NI-2 MOBILE
	10 UNITS/BOX	3 UNITS/BOX
	1 BOX/PALLET	8 BOX/PALLET
	100X120X135 cm	100X128X240 cm
	155 Kg	210 Kg

corner		
GROUP	CODE	DESCRIPTION
MA	18800000	NI-2 CORNER DOUBLE
MA	18800015	CLOSING FENCE NI-2 KIT
MA	18800003	SUPPORT NI-2 CORNER

mobile		
GROUP	CODE	DESCRIPTION
MA	19101000	NI-2 MOBILE 50 CLOSED DOUBLE
MA	19100000	NI-2 MOBILE 50 OPEN DOUBLE
MA	19102000	NI-2 MOBILE 40 OPEN DOUBLE
MA	19100001	SUPPORT NI-2 MOBILE

complements		
GROUP	CODE	DESCRIPTION
MB	19100006	LAMPHOLDER
MB	18800016	LID WITH LED LIGHT, 5W



Official Distributor:

ROTECNA, S.A.
Polígono Industrial, s/n, nave nº3 · 25310 Agramunt (Lleida) SPAIN
Tel. +34 973 39 12 67 · Fax: +34 973 39 12 32
e-mail: rotecna@rotecna.com · www.rotecna.com

la evolución de la especie
specie evolution

